IN THE CLAIMS:

- 1. (Original) A method of evaluating the breath of a test subject, comprising the following steps:
 - a) collection of a breath sample from the test subject in a container,
 - b) reduction of the microbial load of the breath sample contained in the container, and then
 - c) evaluation by a tester of the breath sample collected in the container.
- 2. (Currently Amended) A method according to claim 1, eharacterised characterized in that, in step a), the container is filled with breath by the test subject against atmospheric pressure by exhalation.
- 3. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the volume of the container is variable, the container preferably being collapsible.
- 4. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the container possesses an internal surface made of an odourless material.
- 5. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the container is filled with 20 ml to 7 l of breath in step a).
- 6. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the microbial load is reduced by condensation of moisture from the breath sample in the container.
- 7. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the temperature of the breath sample is adjusted to a value of 20°C to 40°C before performing step c).

- 8. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the test subject fills the container in step a) by exhaling through the mouth, and preferably after inhaling through the nose.
- 9. (Currently Amended) A method according to <u>claim 1</u> one of the above claims, characterised <u>characterized</u> in that the breath sample is anonymised prior to evaluation.
- 10. (Currently Amended) A method of evaluating an oral care product, comprising the following steps:
- a) taking a first breath sample from a test subject by a method according to <u>claim 1</u> one of elaims [[1 9]],
 - b) subsequently administering the oral care product to the test subject,
- c) taking an additional breath sample from the test subject using a method according to claim 1 one of claims [[1 9]] at a pre-selected time after administering the oral care product, and
 - d) comparing comparison of the first and the additional breath sample samples by a tester.